

■ TESSUTI FILTRANTI RULLO Ø 43 - RULLO Ø 48

ATENA (TREVIRA)



tessuto ignifugo

peso tessuto
265 g/m²composizione
100% TREVIRA

H/L	RULLO DA Ø 43						RULLO DA Ø 48				
	80	100	120	140	160	180	200	220	240	260	270
100	•	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•	•	•
260	•	•	•	•	•	•	•	•	•	•	•
280	•	•	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•	•	•
320	•	•	•	•	•	•	•	•	•	•	•

nb. per misure superiori e tessuti decorativi, preventivo su richiesta

TESSUTI FILTRANTI RULLO Ø 43 - RULLO Ø 48

ERA



tessuto ignifugo

peso tessuto
340 g/m²composizione
100% PES

H/L	RULLO DA Ø 43						RULLO DA Ø 48			TELO CAPOVOLTO		
	80	100	120	140	160	180	200	220	240	260	270	
100	•	•	•	•	•	•	•	•	•	•	•	
120	•	•	•	•	•	•	•	•	•	•	•	
140	•	•	•	•	•	•	•	•	•	•	•	
160	•	•	•	•	•	•	•	•	•	•	•	
180	•	•	•	•	•	•	•	•	•	•	•	
200	•	•	•	•	•	•	•	•	•	•	•	
220	•	•	•	•	•	•	•	•	•	•	•	
											TELO CAPOVOLTO E SALDATO	
240	•	•	•	•	•	•	•	•	•	•	•	
260	•	•	•	•	•	•	•	•	•	•	•	
280	•	•	•	•	•	•	•	•	•	•	•	
300	•	•	•	•	•	•	•	•	•	•	•	
320	•	•	•	•	•	•	•	•	•	•	•	

nb. per misure superiori e tessuti decorativi, preventivo su richiesta

■ TESSUTI FILTRANTI RULLO Ø 43 - RULLO Ø 48

CUPIDO 1% SCREEN



tessuto ignifugo

peso tessuto
520 g/m² ±5%composizione
75% PVC 25% PES

H/L	RULLO DA Ø 43						RULLO DA Ø 48				
	80	100	120	140	160	180	200	220	240	260	270
100	•	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•	•	•
260	•	•	•	•	•	•	•	•	•	•	•
280	•	•	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•	•	•

nb. per misure superiori e tessuti decorativi, preventivo su richiesta

TESSUTI FILTRANTI RULLO Ø 43 - RULLO Ø 48

GIUNONE 3% SCREEN



tessuto ignifugo

peso tessuto
420 g/m² ±5%composizione
70% PVC 30% PES

H/L	RULLO DA Ø 43						RULLO DA Ø 48				
	80	100	120	140	160	180	200	220	240	260	270
100	•	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•	•	•
260	•	•	•	•	•	•	•	•	•	•	•
280	•	•	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•	•	•
320	•	•	•	•	•	•	•	•	•	•	•

nb. per misure superiori e tessuti decorativi, preventivo su richiesta

TESSUTI FILTRANTI RULLO Ø 43 - RULLO Ø 48

MINERVA 5% SCREEN



tessuto ignifugo

peso tessuto
400 g/m² ±5%composizione
70% PVC 30% PES

H/L	RULLO DA Ø 43						RULLO DA Ø 48				
	80	100	120	140	160	180	200	220	240	260	270
100	•	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•	•	•
260	•	•	•	•	•	•	•	•	•	•	•
280	•	•	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•	•	•
320	•	•	•	•	•	•	•	•	•	•	•

nb. per misure superiori e tessuti decorativi, preventivo su richiesta

TESSUTI OSCURANTI RULLO Ø 43 - RULLO Ø 48

APOLLO BLACKOUT



tessuto ignifugo

peso tessuto
340 g/m²composizione
100% PES

H/L	RULLO DA Ø 43						RULLO DA Ø 48				
	80	100	120	140	160	180	200	220	240	260	270
100	•	•	•	•	•	•	•	•	•	•	•
120	•	•	•	•	•	•	•	•	•	•	•
140	•	•	•	•	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•	•	•	•	•
260	•	•	•	•	•	•	•	•	•	•	•
280	•	•	•	•	•	•	•	•	•	•	•
300	•	•	•	•	•	•	•	•	•	•	•
320	•	•	•	•	•	•	•	•	•	•	•

nb. per misure superiori e tessuti decorativi, preventivo su richiesta